




HsM gatewayLAN








Ø 6 mm
(0.238 in)



2 x

2 x



2 x





FOR THE UNITED STATES ONLY

General Safety Information


The following symbols and headings are used throughout this manual to indicate possible hazards to persons or equipment. The symbols and headings are shown in order of importance. For efficient and safe operation, be sure to follow the installation and operating instructions provided in this manual. In particular, all safety symbols and notices must be followed.

 WARNING	Indicates a potentially hazardous situation which, if not avoided, could result in serious injury or death.
 CAUTION	Indicates a potentially hazardous situation which, if not avoided, could result in minor personal injury.
NOTICE	This safety warning indicates possible hazards to the product or to other equipment.
IMPORTANT	Vital information or tips for the installer or operator.


General Safety Instructions

 CAUTION 	When using electrical appliances, basic safety precautions should always be followed.
---	--


1.




2.




3.





4.



5.




6.






⚠ CAUTION

Please follow general safety instructions when handling electrical equipment



7.








Um das Gerät für Ihr LAN-/WLAN-Netzwerk zu konfigurieren, benutzen Sie die XIBU App:

1. Downloaden Sie die Hagleitner XIBU App vom App Store oder dem Google Play Store
2. Melden sie sich mit Ihren Login-Daten an
3. Wählen Sie das gewünschte Gerät aus
4. Gehen Sie zu „Einstellungen“ und starten Sie die Konfiguration
5. Folgen Sie den Anweisungen der App

To Configure the device for your LAN-/WiFi-network, use the XIBU App:

1. *Download the Hagleitner XIBU App from the App Store or Google Play Store*
2. *Register with your login data*
3. *Select the desired device*
4. *Go to "Settings" and start the configuration*
5. *Follow the instructions of the app*

LED



Betrieb

- LED aus – Gerät ausgeschaltet / Reboot des Gerätes
- LED an – Gerät im Betrieb

WAN

- LED aus – es besteht keine Netzwerkverbindung über LAN
- LED an – es besteht eine Netzwerkverbindung über LAN
- LED blinkt – es besteht eine Netzwerkverbindung über LAN und über diese werden Daten übertragen

WLAN

- LED aus – es besteht keine Netzwerkverbindung über WLAN
- LED an – es besteht eine Netzwerkverbindung über WLAN
- LED blinkt – es besteht eine Netzwerkverbindung über WLAN und über diese werden Daten übertragen

Operation


- LED off – device turned off / Reboot of the device
- LED on – Device in operation

WAN

- LED off – There is no network connection via LAN
- LED on – There is a network configuration via LAN
- LED flashes – There is a network connection via LAN and data is sent via this

WLAN

- LED off – There is no network connection via WiFi
- LED on – There is a network configuration via WiFi
- LED flashes – There is a network connection via Wifi and data is sent via this



Reset Taster:

- < 1 Sek. drücken: Reboot des Gerätes
- ≥ 1 und < 6 Sek. drücken: Toggle des Access Points (LED blinkt schnell)
- ≥ 6 und < 11 Sek. drücken: Reset des Gerätes auf Werkseinstellungen (LED blinkt langsam)

Reset Button:

- *Press for < 1 sec: Reboot of the device*
- *Press for ≥ 1 and < 6 sec: Toggle of the Access Point (LED flashes fast)*
- *Press for ≥ 6 and < 11 sec: Reset of the device to factory settings (LED flashes slowly)*

