



Vinyl Gloves, Powder-free

Art. Number 4431, 4424-4426, 4430

Classic

Vinyl gloves, Powder free, Smooth



Description

Examination gloves Vinyl

Powder-free

Non-sterile

Transparent

Smooth surface

With rolled cuff

Plasticizer: DINP

Recommend for handling of non-fatty foodstuff

Produced for Abena A/S, Denmark, in China under ISO 9001 and ISO 13485

CE

Dual CE-labelled according to:

Medical Device regulation EU 2017/745 Class I

PPE Regulation EU2016/425, Type B CAT III

AQL 1.5 according to the requirements in the harmonised standard EN 455-1

Standards

EN 455-1, 2, 3 & 4

EN ISO 374-1: 2016

EN ISO 374-4: 2019

EN ISO 374-5: 2016 VIRUS

EN ISO 21420:2020

EN 16523-1: 2015



Vinyl Gloves, Powder-free

Art. Number 4431, 4424-4426, 4430

Thickness

Palm	min. 0,07 mm
Fingers	min. 0,05 mm

Storage and handling

Storage: 10-30°C

Handling: Avoid heat, dampness, bright light and ozone

Shelf life: 5 years from production date

Physical properties

Force at break		
	Before challenge	3.6 Newton
	After challenge testing at 70°C for 166 hours	3.6 Newton
Elongation		
	Before challenge	min. 300 %
	After challenge testing at 70°C for 166 hours	min. 300 %

Tests performed

Air Leak Test and Water Leak Test

Sensitization test

Irritation test

Cytotoxicity

Force at break

Powder residuals

Bacteria and Fungi test

Viral penetration

Food approval (please see separate food datasheet)

Composition

Chemical	CAS
PVC	-
DINP	28553-12-0
Viscosity reducer JNJ	64742-47-8
PU-coating	-
Ca-Zn Stabilizer	-

Chemical	CAS	Permeation time	Level
Formaldehyde 37%	50-00-0	>480 min.	6
Hydrogen Peroxide 30%	7722-84-1	>480 min	6
Sodium Hydroxide 40%	1310-73-2	>480 min.	6

Test Method used EN 16523: 2015



Vinyl Gloves, Powder-free

Art. Number 4431, 4424-4426, 4430

Art. No.	Product	Size	Palm mm (+/- 5)	Length mm	Cartons per pallet	Quantity Dispenser/carton
4431	X-small	5-6	75	240	40	100/1000
4424	Small	6-7	85	240	40	100/1000
4425	Medium	7-8	95	240	40	100/1000
4426	Large	8-9	105	240	40	100/1000
4430	X-Large	9-10	115	240	40	100/1000